Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	20-24	Count	2	2	4
Diagnosis		% within Sex	20.0%	25.0%	22.2%
	25-29	Count	1	3	4
		% within Sex	10.0%	37.5%	22.2%
	30-34	Count	4	2	6
		% within Sex	40.0%	25.0%	33.3%
	35-39	Count	0	1	1
		% within Sex	.0%	12.5%	5.6%
	40-44	Count	3	0	3
		% within Sex	30.0%	.0%	16.7%
Total		Count	10	8	18
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Texarkana

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	5	2	7
		% within Sex	50.0%	25.0%	38.9%
	African American	Count	5	4	9
		% within Sex	50.0%	50.0%	50.0%
	Hispanic	Count	0	2	2
		% within Sex	.0%	25.0%	11.1%
Total		Count	10	8	18
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Texarkana

Mode of Exposure * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	2	0	2
Exposure		% within Sex	20.0%	.0%	11.1%
	Heterosexual Contact	Count	4	2	6
		% within Sex	40.0%	25.0%	33.3%
	Not Classified	Count	4	6	10
		% within Sex	40.0%	75.0%	55.6%
Total		Count	10	8	18
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Texarkana

HIV Infection Cases Reported during 2003 (from the 01/15/04 HARS data set)

			Adult-Ped Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	7	7
		% within Adult-Ped	38.9%	38.9%
	African American	Count	9	9
		% within Adult-Ped	50.0%	50.0%
	Hispanic	Count	2	2
		% within Adult-Ped	11.1%	11.1%
Total		Count	18	18
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Texarkana

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	20-24	Count	2	0	2
Diagnosis		% within Sex	15.4%	.0%	10.0%
	25-29	Count	2	3	5
		% within Sex	15.4%	42.9%	25.0%
	30-34	Count	3	0	3
		% within Sex	23.1%	.0%	15.0%
	35-39	Count	1	0	1
		% within Sex	7.7%	.0%	5.0%
	40-44	Count	1	2	3
		% within Sex	7.7%	28.6%	15.0%
	45-49	Count	2	2	4
		% within Sex	15.4%	28.6%	20.0%
	50-54	Count	1	0	1
		% within Sex	7.7%	.0%	5.0%
	55-59	Count	1	0	1
		% within Sex	7.7%	.0%	5.0%
Total		Count	13	7	20
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Texarkana

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	3	5	8
		% within Sex	23.1%	71.4%	40.0%
	African American	Count	6	2	8
		% within Sex	46.2%	28.6%	40.0%
	Hispanic	Count	4	0	4
		% within Sex	30.8%	.0%	20.0%
Total		Count	13	7	20
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Texarkana

HIV Infection Cases Reported during 2002 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	6	0	6
Exposure		% within Sex	46.2%	.0%	30.0%
	IDU	Count	2	1	3
		% within Sex	15.4%	14.3%	15.0%
	M-M & IDU	Count	1	0	1
		% within Sex	7.7%	.0%	5.0%
	Heterosexual Contact	Count	0	3	3
		% within Sex	.0%	42.9%	15.0%
	Not Classified	Count	4	3	7
		% within Sex	30.8%	42.9%	35.0%
Total		Count	13	7	20
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Texarkana

			Adult-Ped	
			Adult/ Adolescent	Total
· · ·	140.11			
Race-Ethnicity	White Non-Hispanic	Count	8	8
		% within Adult-Ped	40.0%	40.0%
	African American	Count	8	8
		% within Adult-Ped	40.0%	40.0%
	Hispanic	Count	4	4
		% within Adult-Ped	20.0%	20.0%
Total		Count	20	20
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Texarkana

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	13-19	Count	0	5	5
Diagnosis		% within Sex	.0%	10.2%	4.3%
	20-24	Count	10	5	15
		% within Sex	14.9%	10.2%	12.9%
	25-29	Count	8	13	21
		% within Sex	11.9%	26.5%	18.1%
	30-34	Count	14	9	23
		% within Sex	20.9%	18.4%	19.8%
	35-39	Count	11	5	16
		% within Sex	16.4%	10.2%	13.8%
	40-44	Count	16	8	24
		% within Sex	23.9%	16.3%	20.7%
	45-49	Count	4	2	6
		% within Sex	6.0%	4.1%	5.2%
	50-54	Count	2	1	3
		% within Sex	3.0%	2.0%	2.6%
	55-59	Count	2	1	3
		% within Sex	3.0%	2.0%	2.6%
Total		Count	67	49	116
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Texarkana

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	40	19	59
		% within Sex	59.7%	38.8%	50.9%
	African American	Count	19	26	45
		% within Sex	28.4%	53.1%	38.8%
	Hispanic	Count	6	3	9
		% within Sex	9.0%	6.1%	7.8%
	Not Specified	Count	2	1	3
		% within Sex	3.0%	2.0%	2.6%
Total		Count	67	49	116
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Texarkana

Cumulative Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	28	0	28
Exposure		% within Sex	41.8%	.0%	24.1%
	IDU	Count	7	8	15
		% within Sex	10.4%	16.3%	12.9%
	M-M & IDU	Count	8	0	8
		% within Sex	11.9%	.0%	6.9%
	Heterosexual Contact	Count	9	21	30
		% within Sex	13.4%	42.9%	25.9%
	Transfusion	Count	0	2	2
		% within Sex	.0%	4.1%	1.7%
	Not Classified	Count	15	18	33
		% within Sex	22.4%	36.7%	28.4%
Total		Count	67	49	116
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Texarkana

			Adult-Ped	
			Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	59	59
		% within Adult-Ped	50.9%	50.9%
	African American	Count	45	45
		% within Adult-Ped	38.8%	38.8%
	Hispanic	Count	9	9
		% within Adult-Ped	7.8%	7.8%
	Not Specified	Count	3	3
		% within Adult-Ped	2.6%	2.6%
Total	_	Count	116	116
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Texarkana

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	13-19	Count	0	5	5
Diagnosis		% within Sex	.0%	11.1%	4.6%
	20-24	Count	10	4	14
		% within Sex	15.6%	8.9%	12.8%
	25-29	Count	8	13	21
		% within Sex	12.5%	28.9%	19.3%
	30-34	Count	14	9	23
		% within Sex	21.9%	20.0%	21.1%
	35-39	Count	11	5	16
		% within Sex	17.2%	11.1%	14.7%
	40-44	Count	15	6	21
		% within Sex	23.4%	13.3%	19.3%
	45-49	Count	2	1	3
		% within Sex	3.1%	2.2%	2.8%
	50-54	Count	2	1	3
		% within Sex	3.1%	2.2%	2.8%
	55-59	Count	2	1	3
		% within Sex	3.1%	2.2%	2.8%
Total		Count	64	45	109
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Texarkana

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	13-19	Count	0	1	1
Age		% within Sex	.0%	2.2%	.9%
	20-24	Count	3	4	7
		% within Sex	4.7%	8.9%	6.4%
	25-29	Count	12	10	22
		% within Sex	18.8%	22.2%	20.2%
	30-34	Count	7	8	15
		% within Sex	10.9%	17.8%	13.8%
	35-39	Count	10	11	21
		% within Sex	15.6%	24.4%	19.3%
	40-44	Count	15	3	18
		% within Sex	23.4%	6.7%	16.5%
	45-49	Count	13	5	18
		% within Sex	20.3%	11.1%	16.5%
	50-54	Count	0	1	1
		% within Sex	.0%	2.2%	.9%
	55-59	Count	1	1	2
		% within Sex	1.6%	2.2%	1.8%
	60-64	Count	3	1	4
		% within Sex	4.7%	2.2%	3.7%
Total		Count	64	45	109
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Texarkana

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	38	18	56
		% within Sex	59.4%	40.0%	51.4%
	African American	Count	18	23	41
		% within Sex	28.1%	51.1%	37.6%
	Hispanic	Count	6	3	9
		% within Sex	9.4%	6.7%	8.3%
	Not Specified	Count	2	1	3
		% within Sex	3.1%	2.2%	2.8%
Total		Count	64	45	109
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Texarkana

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	28	0	28
Exposure		% within Sex	43.8%	.0%	25.7%
	IDU	Count	7	8	15
		% within Sex	10.9%	17.8%	13.8%
	M-M & IDU	Count	7	0	7
		% within Sex	10.9%	.0%	6.4%
	Heterosexual Contact	Count	9	21	30
		% within Sex	14.1%	46.7%	27.5%
	Transfusion	Count	0	1	1
		% within Sex	.0%	2.2%	.9%
	Not Classified	Count	13	15	28
		% within Sex	20.3%	33.3%	25.7%
Total		Count	64	45	109
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Texarkana

			Adult-Ped	
			Adult/ Adolescent	Total
B =	140.00			
Race-Ethnicity	White Non-Hispanic	Count	56	56
		% within Adult-Ped	51.4%	51.4%
	African American	Count	41	41
		% within Adult-Ped	37.6%	37.6%
	Hispanic	Count	9	9
		% within Adult-Ped	8.3%	8.3%
	Not Specified	Count	3	3
		% within Adult-Ped	2.8%	2.8%
Total		Count	109	109
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Texarkana

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	13-19	Count	1	0	1
Diagnosis		% within Sex	5.3%	.0%	4.0%
	25-29	Count	3	0	3
		% within Sex	15.8%	.0%	12.0%
	30-34	Count	5	0	5
		% within Sex	26.3%	.0%	20.0%
	35-39	Count	4	4	8
		% within Sex	21.1%	66.7%	32.0%
	40-44	Count	3	2	5
		% within Sex	15.8%	33.3%	20.0%
	45-49	Count	3	0	3
		% within Sex	15.8%	.0%	12.0%
Total	•	Count	19	6	25
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Texarkana

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	5	4	9
		% within Sex	26.3%	66.7%	36.0%
	African American	Count	9	2	11
		% within Sex	47.4%	33.3%	44.0%
	Hispanic	Count	5	0	5
		% within Sex	26.3%	.0%	20.0%
Total		Count	19	6	25
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Texarkana

AIDS Cases Reported during 2003 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	7	0	7
Exposure		% within Sex	36.8%	.0%	28.0%
	IDU	Count	2	3	5
		% within Sex	10.5%	50.0%	20.0%
	Heterosexual Contact	Count	2	1	3
		% within Sex	10.5%	16.7%	12.0%
	Transfusion	Count	1	0	1
		% within Sex	5.3%	.0%	4.0%
	Not Classified	Count	7	2	9
		% within Sex	36.8%	33.3%	36.0%
Total		Count	19	6	25
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Texarkana

			Adult-Ped	
			Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	9	9
		% within Adult-Ped	36.0%	36.0%
	African American	Count	11	11
		% within Adult-Ped	44.0%	44.0%
	Hispanic	Count	5	5
		% within Adult-Ped	20.0%	20.0%
Total		Count	25	25
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Texarkana

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	13-19	Count	1	0	1
Diagnosis		% within Sex	5.3%	.0%	5.0%
	20-24	Count	1	0	1
		% within Sex	5.3%	.0%	5.0%
	25-29	Count	1	0	1
		% within Sex	5.3%	.0%	5.0%
	30-34	Count	2	0	2
		% within Sex	10.5%	.0%	10.0%
	35-39	Count	3	0	3
		% within Sex	15.8%	.0%	15.0%
	40-44	Count	3	0	3
		% within Sex	15.8%	.0%	15.0%
	45-49	Count	4	0	4
		% within Sex	21.1%	.0%	20.0%
	50-54	Count	1	1	2
		% within Sex	5.3%	100.0%	10.0%
	55-59	Count	3	0	3
		% within Sex	15.8%	.0%	15.0%
Total		Count	19	1	20
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Texarkana

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	8	0	8
		% within Sex	42.1%	.0%	40.0%
	African American	Count	7	1	8
		% within Sex	36.8%	100.0%	40.0%
	Hispanic	Count	4	0	4
		% within Sex	21.1%	.0%	20.0%
Total	-	Count	19	1	20
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Texarkana

AIDS Cases Reported during 2002 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	5	0	5
Exposure		% within Sex	26.3%	.0%	25.0%
	IDU	Count	3	0	3
		% within Sex	15.8%	.0%	15.0%
	Heterosexual Contact	Count	2	0	2
		% within Sex	10.5%	.0%	10.0%
	Not Classified	Count	9	1	10
		% within Sex	47.4%	100.0%	50.0%
Total		Count	19	1	20
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Texarkana

			Adult-Ped	
			Adult/	
			Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	8	8
		% within Adult-Ped	40.0%	40.0%
	African American	Count	8	8
		% within Adult-Ped	40.0%	40.0%
	Hispanic	Count	4	4
		% within Adult-Ped	20.0%	20.0%
Total		Count	20	20
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Texarkana

Age at Diagnosis * Sex Crosstabulation^a

Age at Diagnosis 0 (0-11 mo) Count % within Sex 13-19 Count % within Sex 20-24 Count % within Sex	Male 1 .4% 4 1.5% 11 4.2%	Female 0 .0% 0 .0% 4	Total 1 .3% 4 1.3%
Diagnosis % within Sex 13-19 Count % within Sex 20-24 Count	.4% 4 1.5%	.0% 0 .0%	.3%
13-19 Count	4 1.5% 11	.0%	4
% within Sex 20-24 Count	1.5% 11	.0%	•
20-24 Count	11		1 20/
		4	1.370
% within Sex	4.2%	- 1	15
		7.5%	4.8%
25-29 Count	37	9	46
% within Sex	14.2%	17.0%	14.6%
30-34 Count	63	9	72
% within Sex	24.1%	17.0%	22.9%
35-39 Count	43	13	56
% within Sex	16.5%	24.5%	17.8%
40-44 Count	38	4	42
% within Sex	14.6%	7.5%	13.4%
45-49 Count	30	4	34
within Sex	11.5%	7.5%	10.8%
50-54 Count	13	3	16
% within Sex	5.0%	5.7%	5.1%
55-59 Count	11	3	14
% within Sex	4.2%	5.7%	4.5%
60-64 Count	6	2	8
% within Sex	2.3%	3.8%	2.5%
65-69 Count	2	0	2
% within Sex	.8%	.0%	.6%
70+ Count	2	2	4
% within Sex	.8%	3.8%	1.3%
Total Count	261	53	314
% within Sex	100.0%	100.0%	100.0%

a. HSDA = Texarkana

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	147	27	174
		% within Sex	56.3%	50.9%	55.4%
	African American	Count	93	25	118
		% within Sex	35.6%	47.2%	37.6%
	Hispanic	Count	20	1	21
		% within Sex	7.7%	1.9%	6.7%
	Asian-Pacific Islander	Count	1	0	1
		% within Sex	.4%	.0%	.3%
Total		Count	261	53	314
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Texarkana

Cumulative Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	118	0	118
Exposure		% within Sex	45.2%	.0%	37.6%
	IDU	Count	42	19	61
		% within Sex	16.1%	35.8%	19.4%
	M-M & IDU	Count	29	0	29
		% within Sex	11.1%	.0%	9.2%
	Hemophiliac	Count	5	0	5
		% within Sex	1.9%	.0%	1.6%
	Heterosexual Contact	Count	12	21	33
		% within Sex	4.6%	39.6%	10.5%
	Transfusion	Count	16	3	19
		% within Sex	6.1%	5.7%	6.1%
	Not Classified	Count	38	10	48
		% within Sex	14.6%	18.9%	15.3%
	Ped Parent at Risk	Count	1	0	1
		% within Sex	.4%	.0%	.3%
Total		Count	261	53	314
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Texarkana

			Adı	ult-Ped	
				Adult/	
			Pediatric	Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	0	174	174
		% within Adult-Ped	.0%	55.6%	55.4%
	African American	Count	1	117	118
		% within Adult-Ped	100.0%	37.4%	37.6%
	Hispanic	Count	0	21	21
		% within Adult-Ped	.0%	6.7%	6.7%
	Asian-Pacific Islander	Count	0	1	1
		% within Adult-Ped	.0%	.3%	.3%
Total		Count	1	313	314
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Texarkana

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	13-19	Count	3	0	3
Diagnosis		% within Sex	2.5%	.0%	2.0%
	20-24	Count	4	3	7
		% within Sex	3.3%	11.1%	4.7%
	25-29	Count	15	5	20
		% within Sex	12.4%	18.5%	13.5%
	30-34	Count	31	2	33
		% within Sex	25.6%	7.4%	22.3%
	35-39	Count	21	10	31
		% within Sex	17.4%	37.0%	20.9%
	40-44	Count	22	3	25
		% within Sex	18.2%	11.1%	16.9%
	45-49	Count	14	1	15
		% within Sex	11.6%	3.7%	10.1%
	50-54	Count	3	1	4
		% within Sex	2.5%	3.7%	2.7%
	55-59	Count	5	1	6
		% within Sex	4.1%	3.7%	4.1%
	60-64	Count	2	0	2
		% within Sex	1.7%	.0%	1.4%
	65-69	Count	1	0	1
		% within Sex	.8%	.0%	.7%
	70+	Count	0	1	1
		% within Sex	.0%	3.7%	.7%
Total		Count	121	27	148
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Texarkana

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	13-19	Count	1	0	1
Age		% within Sex	.8%	.0%	.7%
	20-24	Count	1	0	1
		% within Sex	.8%	.0%	.7%
	25-29	Count	4	1	5
		% within Sex	3.3%	3.7%	3.4%
	30-34	Count	13	5	18
		% within Sex	10.7%	18.5%	12.2%
	35-39	Count	24	6	30
		% within Sex	19.8%	22.2%	20.3%
	40-44	Count	32	7	39
		% within Sex	26.4%	25.9%	26.4%
	45-49	Count	15	1	16
		% within Sex	12.4%	3.7%	10.8%
	50-54	Count	16	2	18
		% within Sex	13.2%	7.4%	12.2%
	55-59	Count	7	3	10
		% within Sex	5.8%	11.1%	6.8%
	60-64	Count	5	0	5
		% within Sex	4.1%	.0%	3.4%
	65-69	Count	1	1	2
		% within Sex	.8%	3.7%	1.4%
	70+	Count	2	1	3
		% within Sex	1.7%	3.7%	2.0%
Total		Count	121	27	148
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Texarkana

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	55	14	69
		% within Sex	45.5%	51.9%	46.6%
	African American	Count	48	13	61
		% within Sex	39.7%	48.1%	41.2%
	Hispanic	Count	17	0	17
		% within Sex	14.0%	.0%	11.5%
	Asian-Pacific Islander	Count	1	0	1
		% within Sex	.8%	.0%	.7%
Total	_	Count	121	27	148
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Texarkana

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	48	0	48
Exposure		% within Sex	39.7%	.0%	32.4%
	IDU	Count	19	11	30
		% within Sex	15.7%	40.7%	20.3%
	M-M & IDU	Count	15	0	15
		% within Sex	12.4%	.0%	10.1%
	Hemophiliac	Count	2	0	2
		% within Sex	1.7%	.0%	1.4%
	Heterosexual Contact	Count	8	12	20
		% within Sex	6.6%	44.4%	13.5%
	Transfusion	Count	5	1	6
		% within Sex	4.1%	3.7%	4.1%
	Not Classified	Count	24	3	27
		% within Sex	19.8%	11.1%	18.2%
Total	·	Count	121	27	148
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Texarkana

			Adult-Ped	
			Adult/	
			Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	69	69
		% within Adult-Ped	46.6%	46.6%
	African American	Count	61	61
		% within Adult-Ped	41.2%	41.2%
	Hispanic	Count	17	17
		% within Adult-Ped	11.5%	11.5%
	Asian-Pacific Islander	Count	1	1
		% within Adult-Ped	.7%	.7%
Total		Count	148	148
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Texarkana

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	13-19	Count	3	5	8
Diagnosis		% within Sex	1.6%	6.9%	3.1%
	20-24	Count	14	7	21
		% within Sex	7.6%	9.7%	8.2%
	25-29	Count	23	18	41
		% within Sex	12.4%	25.0%	16.0%
	30-34	Count	45	11	56
		% within Sex	24.3%	15.3%	21.8%
	35-39	Count	32	15	47
		% within Sex	17.3%	20.8%	18.3%
	40-44	Count	37	9	46
		% within Sex	20.0%	12.5%	17.9%
	45-49	Count	16	2	18
		% within Sex	8.6%	2.8%	7.0%
	50-54	Count	5	2	7
		% within Sex	2.7%	2.8%	2.7%
	55-59	Count	7	2	9
		% within Sex	3.8%	2.8%	3.5%
	60-64	Count	2	0	2
		% within Sex	1.1%	.0%	.8%
	65-69	Count	1	0	1
		% within Sex	.5%	.0%	.4%
	70+	Count	0	1	1
		% within Sex	.0%	1.4%	.4%
Total		Count	185	72	257
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Texarkana

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	13-19	Count	1	1	2
Age		% within Sex	.5%	1.4%	.8%
	20-24	Count	4	4	8
		% within Sex	2.2%	5.6%	3.1%
	25-29	Count	16	11	27
		% within Sex	8.6%	15.3%	10.5%
	30-34	Count	20	13	33
		% within Sex	10.8%	18.1%	12.8%
	35-39	Count	34	17	51
		% within Sex	18.4%	23.6%	19.8%
	40-44	Count	47	10	57
		% within Sex	25.4%	13.9%	22.2%
	45-49	Count	28	6	34
		% within Sex	15.1%	8.3%	13.2%
	50-54	Count	16	3	19
		% within Sex	8.6%	4.2%	7.4%
	55-59	Count	8	4	12
		% within Sex	4.3%	5.6%	4.7%
	60-64	Count	8	1	9
		% within Sex	4.3%	1.4%	3.5%
	65-69	Count	1	1	2
		% within Sex	.5%	1.4%	.8%
	70+	Count	2	1	3
		% within Sex	1.1%	1.4%	1.2%
Total		Count	185	72	257
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Texarkana

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	93	32	125
		% within Sex	50.3%	44.4%	48.6%
	African American	Count	66	36	102
		% within Sex	35.7%	50.0%	39.7%
	Hispanic	Count	23	3	26
		% within Sex	12.4%	4.2%	10.1%
	Asian-Pacific Islander	Count	1	0	1
		% within Sex	.5%	.0%	.4%
	Not Specified	Count	2	1	3
		% within Sex	1.1%	1.4%	1.2%
Total		Count	185	72	257
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Texarkana

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Mode of Exposure * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	76	0	76
Exposure		% within Sex	41.1%	.0%	29.6%
	IDU	Count	26	19	45
		% within Sex	14.1%	26.4%	17.5%
	M-M & IDU	Count	22	0	22
		% within Sex	11.9%	.0%	8.6%
	Hemophiliac	Count	2	0	2
		% within Sex	1.1%	.0%	.8%
	Heterosexual Contact	Count	17	33	50
		% within Sex	9.2%	45.8%	19.5%
	Transfusion	Count	5	2	7
		% within Sex	2.7%	2.8%	2.7%
	Not Classified	Count	37	18	55
		% within Sex	20.0%	25.0%	21.4%
Total		Count	185	72	257
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Texarkana

			Adult-Ped	
		+		
			Adult/	
			Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	125	125
		% within Adult-Ped	48.6%	48.6%
	African American	Count	102	102
		% within Adult-Ped	39.7%	39.7%
	Hispanic	Count	26	26
		% within Adult-Ped	10.1%	10.1%
	Asian-Pacific Islander	Count	1	1
		% within Adult-Ped	.4%	.4%
	Not Specified	Count	3	3
		% within Adult-Ped	1.2%	1.2%
Total		Count	257	257
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Texarkana